




POK

INDOOR PORTABLE KIOSK



FULL GLASS





AIR OUTLET

HANDLE



SECURE TRIANGLE DESIGN

SPEAKERS ANTI-THEFT LOCK

POWER CABLE THROUGH HOLE













WIFI









A Attack of the

Heat Dissipation

Multi-signal Remote Monitoring

Customized





Industrial grade IPS technology accurately displays image quality and colour depth with no fall-off in colour accuracy.



The pixel density or quantity of in each inch of this 4k new format the greater the pixel density is, the bigger the image's detail will be. Can bring the user more lifelike visual experience



These displays provide fantastic image quality with a remarkable viewing angle of 178° in both landscape and portrait.

4. SCROLLING TEXT



You can display a "ticker tapy" style scrolling text message along the bottom of the screen.

5. SURFACE PLASMA TREATMENT



The oleophobic coating makes the glass front more resistance to oil and water residue left by fingerprint marks and makes touch gestures smoother.

6. 10 POINT PCAP / IR TOUCH



Manipulate images, zoom in an out as well as perform many other touch gestures; Multiple users interacting with the screen at one time.



Integrated with two stereo speakers for audio element requirement.

8.FREE SCHEDULING SOFTWARE 7:00-15:00 15:00-23:00 23:00-7:00

Playlist can be scheduled for displaying different content at different times of the day.



The screen can be set to automatic daily or weekly timing switches on and off.

10. 24/7 USAGE



The industrial grade panels are able to be in constant use 24/7 for over 60,000 hours.

11.ANDROID OR WINDOWS OS



Built-in Android 7.1 operating system and Windows 10 operating system options. You can also use your media player if required.

12.NETWORK REMOTE CONTROL



LAN, Wi-Fi, 4G network connection are available. The playlist can be remotely updated over the internet.




















SIZE 43"







OTHER AVAILABLE SIZES: 32" 43" 49" 55"

CONTENT MANAGEMENT DEVICE MANAGEMENT REMOTE CONTROL









- 1 CARTON BOX
- **2** WOODEN CASE





1FLIGHT CASE



SPECIFICATION

| ITEM | DETAILS | METERS | | | | |
|-------------------|------------------------------|--|-------------|-------------|--------------|--|
| | Size | 32inch | 43inch | 49inch | 55inch | |
| Hardware data | Display area (mm) | 698.4*392.85 | 941.1*529.4 | 1073.8*604 | 1209.6*680.4 | |
| | Referent dimension(H*W*T mm) | 1400*500*69 | 1450*630*69 | 1800*710*69 | 1830*800*69 | |
| | Resolution | 1920*1080 / 3840*2160 | | | | |
| | Brightness | 350 cd/m² / 500 cd/m² / 700 cd/m² / 1000 cd/m² | | | | |
| | Viewing angle | 178° (H) / 178° (V) | | | | |
| | Contrast ratio | 1400:1 | | | | |
| | Shell material | aluminum profile, metal plate, tempered safety glass | | | | |
| | Spearker | 2*8Ω5W | | | | |
| Power supply | Switch power | 110-240VAC@ 50/60Hz | | | | |
| Power consumption | Max Power consumption | 40W | 55W | 60W | 75W | |

| ITEM | DETAILS | TECHNICAL PARAMETERS |
|-------------------|--------------------|--|
| | Motherboard | RK3288/ RK 3399 |
| | CPU | Cores:4; Basic frequency:1.8 GHz ,Cortex A17 / Dual Cortex-A72 big core+quad Cortex-A53 small core 64-bit CPU |
| | Operating System | Android 5.1/ 7.1 |
| | Graphics | Integrated GPU ARM Mali-T764 / Quad core Arm mali-T860Mp4 |
| | Memory | 2G |
| Android version | Storage | 16G |
| | RJ45 LAN interface | 100M/1000M |
| | USB | 4 USB 2.0 / 2 USB 3.0 |
| | Player Software | content management system |
| | Audio support | Intergrated |
| | Output interface | HDMI *1 |
| | Motherboard | H110 |
| | CPU | Intel i5 ≥6th generation(i3 & i7 for option) |
| | Operating System | Windows 10 Pro |
| | Graphics | Intel HD Graphics |
| | Memory | 4G RAM |
| Windows version | Storage | 120G SSD |
| Williadwa Version | RJ45 LAN interface | 100M/1000M |
| | USB | USB*1, SD card*1 |
| | Player Software | To be specified by the client |
| | Audio support | Intergrated |
| | Output interface | HDMI*1, VGA*1 |

| ITEM | DETAILS | TECHNICAL PARAMETERS | |
|---------------|--------------------------|--|--|
| | Motherboard | SX-260 | |
| | CPU | HD video decoding chip | |
| | Operating System | uCOS | |
| | Memory | DDR 128MB | |
| Standalone | Storage | NAND Flash 16G | |
| version | Video format | MPEG1, MPEG2, MPEG4, H264, WMV | |
| | USB | USB*1, SD card*1 | |
| | Input interface | HDMI*1,USB*1 | |
| | USB | none | |
| Driver | Audio support | PC audio, earphone input | |
| board version | input interface | HDMI*1,VGA*1,DVI*1 / HDMI*1,DVI*1,VGA*1,DP*3 | |
| | Operating temperature | 0°C ∼ +40°C | |
| Application | Storage temperature | -20°C ∼ +60°C | |
| Environment | Humidity | 10-80% RH Non-condensing | |
| | WiFi access point | Yes | |
| Options | Cellular router | 3G or 4G | |
| Options | Touchscreen | capacitive touch | |
| | LED backlit company logo | Yes | |







REMOTE TECHNICAL SUPPORT







